




WE ARE ePERFORMANCE

2023

HAIBIKE






WE ARE ePERFORMANCE

2023



HAIBIKE






WE ARE ePERFORMANCE



"After a whole life of riding mountain bikes and 12 years of competition, I needed a change and a new challenge. With my great passion for sports, I now want to tap the full potential of eBiking. Routes that I have been riding for years can be done faster, better and with a new spirit. I can't wait to show the world a new level of ePerformance!"

- Yannick Granieri



START YOUR eADVENTURE RIGHT NOW

Das Abenteuer wartet nur einen Schritt entfernt: direkt vor deiner Tür. Steig auf dein Haibike, starte los und erfahre deine Umgebung.

Von dem Gefühl, „empowered“ zu sein, in die Pedale zu treten und die Dynamik des Turbo-Modus zu spüren, profitiert jeder – unabhängig von Alter, Fitness oder Fahrkönnen.

Unsere neue eBike Generation ermöglicht es, noch weiter zu fahren als je zuvor und macht die Welt um uns herum noch aufregender, als wir es uns je erträumt haben.

Adventure is just a step away: right outside your door. Get on your Haibike, take off and experience your surroundings.

Everyone benefits from the feeling of being "empowered", pushing the pedals and feeling the power of turbo mode – regardless of age, fitness or riding ability.

Our new eBike generation makes it possible to ride further than ever before, making the world around us even more exciting than we dreamed possible.



FOCUS
E-BIKE

BESTE
E-BIKE
MARKEN
2021/22

LIEBLINGS-
MARKE

FOCUS E-BIKE
Magazin 02/2021

INHALT / CONTENT

SE 11 10 9 8 7

ENDURO

PAGE 26



HYBE

PAGE 34



ALLMTN

PAGE 40



LYKE

PAGE 60



ALLTRAIL

PAGE 68



ALLTRACK

PAGE 86



ADVENTR FS

PAGE 98



TREKKING

PAGE 106



TREKKINGS

PAGE 134



BELIEVE THE HYBE

PAGE 8

THE NEW FAZUA RIDE 60

PAGE 12

YAMAHA MOTORS

PAGE 18

LYKE NO OTHER

PAGE 10

BOSCH SMART SYSTEM & MOTORS

PAGE 14

MRS – MODULAR RAIL SYSTEM

PAGE 20



FAHRZEUGKATEGORIEN
CATEGORIES OF VEHICLES
PAGE 138

GEOMETRIEN
GEOMETRY TABLES
PAGE 140

IMPRESSUM
IMPRINT
PAGE 152

BELIEVE THE HYBE.



1 BOSCH CX-R 750 WH
LED REMOTE

2 GX EAGLE 12 SPEED AXS

3 FOX FLOAT X FACTORY 160 MM

4 HAIBIKE FULL CARBON
FLIP-CHIP ADJUSTABLE,
29" FRONT / 27,5" REAR
CLOSED DOWNTUBE

5 MAGURA MT5

6 FOX 38 FACTORY 170 MM

7 MAVIC E-DEEMAX S

HYBE



5

Der Fokus liegt auf Geschwindigkeit, Integration und Performance. 170 mm Federweg sorgen für Komfort, auch wenn das Terrain rough wird.

Focused on speed, integration and big mountain performance. With 170 mm of travel for big hit comfort.

6

7

HYBE - THE NEW POWER SPORTS CATEGORY

KRAFTVOLL. SCHNELL. KEINE KOMPROMISSE.

HYBE ist unsere neue „Power Sports“ Kategorie und mit dem HYBE 11 schicken wir die Speerspitze des neuen Segments ins Rennen. HYBE ist für all diejenigen Rennfahrer unter uns, denen das Beste und Stärkste gerade gut genug ist.

POWERFUL. FAST. UNCOMPROMISED.

With the introduction of our new "Power Sports" category HYBE, the HYBE 11 is the pinnacle and forerunner of what the future holds. For those who want the most powerful and race-ready eMTBs.

LYKE

SUPER. LIGHT. WEIGHT.

Das bisher leichteste Haibike eMTB mit klarem Fokus auf anspruchsvollen Haibike Trailridern und deren Anforderungen.

The lightest Haibike eMTB ever. Focusing on ambitious Haibike trail riders and their needs.

SPORTIVE. CONTROLLED. FAST.

Ein komplett neues Konzept, das dich auf dem schnellsten und besten Weg hoch und runter bringt. Und einfach nur Spaß macht.

A complete new concept that gets you up and down, the fastest and funnest, and most capable way possible.

SEXY. NEW. HAIBIKE.

Das schärfste Haibike in der Geschichte.
Der Start einer neuen Ära.

The sharpest Haibike in history. The beginning of a new era.



HANDLING

- Neue Dämpferposition & Kinematik
New shock position & kinematic
- Full 29"
- 140/140 mm Federweg / travel
- Super ausbalancierte Geometrie
Well balanced geometry

FEATURES

- Carbon frame, alloy rocker
- Getrennte Batterie & Motor
Decoupled battery & motor
- FAZUA SUPER LIGHT RIDE 60/430 Wh
- Geschlossenes Unterrohr
Closed downtube

LYKE NO OTHER.



1 FAZUA ENERGY 430 FIX

2 FAZUA RING CONTROL

3 FAZUA LED HUB

4 FAZUA RANGE EXTENDER 210 WH
(optional)

FAZUA

NEW FAZUA RIDE 60/430

- Gesamtgewicht System/Weight total system, inkl. 430 Wh Akku: 4,5 kg
- Features Toptube HMI, App (with Custom Tuning), LED Remote, Walk-Assist

THE NEW FAZUA

RI^DE 60

FAZUA

DER NEUE FAZUA RIDE 60

- + DAS KLEINSTE, LEICHTESTE,
FORTGESCHRITTENSTE
SPORTLICHE E-LIGHT-SYSTEM
+ SMALLEST AND MOST ADVANCED
SPORTIVE E-LIGHT SYSTEM
- + MOTORGEWICHT 1,96 KG
MOTOR WEIGHT 1.96KG
- + AKKUKAPAZITÄT 430 WH
BATTERY CAPACITY 430 WH
- + ZUSATZAKKU 210 WH ERHÄLTLICH
RANGE EXTENDER 210WH AVAILABLE
- + DREHMOMENT 60 NM
TORQUE 60 NM



FAZUA APP

Mit der FAZUA App lassen sich die Fahrmodi komplett individualisieren und vorgefertigte Profile können direkt heruntergeladen werden.

With the FAZUA app, the riding modes can be completely individualized, predefined profiles can be downloaded directly and updates can be carried out wirelessly.



FAZUA TOOLBOX SOFTWARE

Die FAZUA Desktop Software ermöglicht dem Händler, aber auch Radfahrern selbst, unkompliziert Konfigurationen, Updates und Fehlerdiagnose über den eigenen Computer.

The FAZUA desktop Toolbox Software provides dealers and the cyclists themselves with uncomplicated configurations, updates and error diagnostics on their own computer.





FAZUA ENERGY 430 FIX

Mit nur 2,2 kg ermöglicht der Akku eine perfekt integrierte Rahmenlösung. Beim Bewegen des Fahrrads wird der Akku automatisch eingeschaltet.

At only 2.2 kg, it allows for a perfectly integrated frame solution. When the bike moves, the battery is automatically switched on.



FAZUA RING CONTROL

Die minimalistische RING CONTROL am Lenker lässt sich extrem intuitiv bedienen. Hier wählt der Fahrer den Fahrmodus, betätigt die Schiebehilfe oder schaltet das Licht ein. Der Blick kann somit stets auf den Weg gerichtet bleiben.

The minimalist RING CONTROL on the handlebar utilizes an incredibly intuitive design. Here you can choose the riding mode, turn on the light and the walk assist - all without taking your eyes off the track.



FAZUA LED HUB

Die LED HUB im Oberrohr informiert mit fünf farbigen LEDs nicht nur über den Ladezustand und den gewählten Fahrmodus. Sie verfügt zudem über eine USB-C Lademöglichkeit für das Smartphone oder den Fahrradcomputer. Außerdem sitzt hier die Schnittstelle für ANT+ und Bluetooth (BLE).

The LED HUB with its five color LEDs informs you not only about the battery charge and your riding mode. It also features a USB-C charging option, e.g. for your smartphone or GPS device, and an interface for ANT+ and bluetooth.



FAZUA RANGE EXTENDER 210 WH

Lust auf mehr? Mit dem Zusatzakku kann sich der Fahrer optional 210 Wh extra Power gönnen. Dieser ergänzt die Leistung des Hauptakkus oder ersetzt ihn sogar.

Want more? With the Range Extender the rider gets to treat himself to an additional 210 Wh of power. This battery will supplement the main battery or even replace it.



THE SMART SYSTEM

DAS SMARTE SYSTEM

THE SWEET SPOT OF
PERFORMANCE & VERSATILITY //
ONE BIKE FOR ALL RIDES




RIDE FURTHER.
EXPERIENCE MORE.

BOSCH

POWERFUL BOSCH DRIVE UNITS

Die leistungsstarken Bosch-Motoren haben alles, was echte Kraftpakete mitbringen sollten. Die kraftvolle Beschleunigung, das intuitive Handling und die maximale Agilität sorgen für eine extra Portion Fahrspaß.

The strong Bosch motors have everything real powerhouses bring to the table. The impressive acceleration, intuitive handling and maximum agility provide an extra boost of riding fun.



E-BIKE FLOW APP

Nie mehr auf ein Update warten, immer wissen wann der nächste Servicetermin ansteht, all deine Touren Daten immer bei der Hand und vieles vieles mehr. Durch die neue E-Bike Flow App von Bosch werden deine E-Bike Touren zu individuellen Erlebnissen.

The new E-bike Flow App from Bosch turns your e-bike tours into personalized experiences. Never wait for an update again, always know when it's time for your next service appointment, view your tour data and so much more!

KIOX 300 & LED REMOTE

Das Herzstück des Smart Systems von Bosch. Die Steuerzentrale. Auf das Wesentliche reduziert, kannst du so alle wichtigen Informationen auf deinem Display einsehen und leicht die Unterstützungsstufen bedienen.

The heart of the Bosch smart system, your mission control. Stripped down to the essentials, you can view all important data on your display, and control the support modes easily.



4A CHARGER

Ein Ladegerät mit vielen Vorteilen. Das kleine kompakte Ladegerät lädt schnell, ist ideal für unterwegs, sehr einfach anzuwenden und überzeugt optisch. So musst du auch bei längeren Touren nicht auf die nötige Energie verzichten.

A charger with many advantages. The small, compact charger charges quickly – ideal for when you are out on a ride. It is also easy to use and looks great. You will always have a power boost even on longer rides.

POWERTUBE

Ein Akku der maximale Reichweite garantiert, mit einem formschönen Design und mit einer nutzerfreundlichen Handhabung überzeugt. Ein zuverlässiger Energielieferant, der jede Tour zu einem vollen Vergnügen macht. Je nach Einsatzgebiet erhältlich in 500 Wh, 625 Wh oder 750 Wh.

A battery which guarantees maximum range, beautifully designed and user-friendly. A reliable power source making every ride great fun. Depending on the field of use available in 500 Wh, 625 Wh or 750 Wh.



BOSCH

MOTORS

BOSCH

BOSCH PERFORMANCE CX

- kompakt und dabei extrem leistungssstark und effizient
- beschleunigt extrem druckvoll
- reagiert ohne Verzögerung
- bis zu 340 % perfekt dosierte Unterstützung
- 1,1 kg leichter als der Vorgänger
- Compact and at the same time extremely powerful and efficient
- Accelerates extremely forcefully
- Reacts without delay
- Up to 340 % perfectly dosed support
- 1.1kg lighter than its predecessor



BOSCH PERFORMANCE

- Mehr Leistung bei höherer Geschwindigkeit (<12 km/h) durch weiterentwickelten Motor
- Hohe Motoreffizienz für ausgedehnte Abenteuer
- Auto-Mode mit adaptiver Motorunterstützung
- Sehr leise durch geräuschoptimierten Antrieb
- More power at higher speed (<12 km/h) due to motor refinement
- High motor efficiency for extended adventures
- Auto mode with adaptive motor support
- Very silent due to noise optimised gearbox

	BOSCH PERFORMANCE CX	BOSCH PERFORMANCE	BOSCH PERF. LINE SPEED
Gewicht/Weight	2,9 kg	ca. 3,2 kg	2,9 kg
Rated power	250 Watt	250 Watt	350 Watt
Max. torque	85 Nm	75 Nm	85 Nm
Max. support speed	25 km/h		45 km/h
Support mode (%)	4 Modi / modes TURBO: 340 eMTB: 140-340 TOUR: 140 ECO: 60	4 Modi / modes TURBO: 300 SPORT: 200 TOUR: 120 ECO: 55	4 Modi / modes TURBO: 340 SPORT: 240 TOUR: 140 ECO: 60



YAMAHA

 **YAMAHA**

MOTORS

85 Nm
TORQUE



75 Nm
TORQUE



NEW
PW-S2

Abbildung ähnlich
Illustration similar

70 Nm
TORQUE



YAMAHA PW-X3

- 20 % kompakter als PW-X2
- 300 g leichter als PW-X2
- Verbesserte Schiebehilfe
- Verbesserter Tuning-Erkennungsalgorithmus
- Neu entwickelter integrierter Geschwindigkeitssensor
- 20% smaller than PW-X2
- 300g lighter than PW-X2
- Improved walk assist feature
- Improved tuning detection algorithm
- Newly developed integrated speed sensor

YAMAHA PW-S2

- Memory Funktion
Unterstützungsstufe & Licht)
- Gehäuse: neue Kühlrippe
zur Geräuschreduzierung
- Ca. 600 g leichter als PW-ST
- 75 Nm max. Drehmoment
- Memory function (support level & light)
- Housing: New cooling fin for noise reduction
- ~ 600 grams lighter than PW-ST
- 75 NM max. torque

YAMAHA PW-ST

- Quad Sensor System
- Automatic Support Mode für Allround-Einsätze und Trails
- Natürlich-kraftvolle Unterstützungscharakteristik
- Quad Sensor System
- Automatic Support Mode for all-round uses and trails
- Naturally powerful support-characteristic

	YAMAHA PW-X3	YAMAHA PW-S2	YAMAHA PW-ST
Gewicht/Weight	ca. 2,75 kg	2,85 kg	3,4 kg
Rated power	250 Watt	250 Watt	250 Watt
Max. torque	85 Nm	75 Nm	70 Nm
Max. support speed		25 km/h	
Support mode (%)	5 Modi / modes EXPW/360 HIGH/280 STD/190 ECO/100 +ECO/50	4 Modi / modes HIGH/280 STD/190 ECO/100 +ECO/50	4 Modi / modes HIGH/280 STD/190 ECO/100 +ECO/50



MODULAR RAIL SYSTEM



FLASCHEN | MULTIMOUNT | KITRACK | TASCHEN | SCHLÖSSER
BOTTLES | MULTIMOUNT | KITRACK | BAGS | LOCKS

MRS MODULAR RAIL SYSTEM FEATURES

Unser patentiertes **Modular Rail System**, kurz **MRS** genannt, ist abhängig von dem jeweiligen Fahrradmodell, als Schienenprofil entweder im Unterrohr, Sitzrohr oder an Gepäckträgern integriert. Es ermöglicht, unsere **MRS Produkte** sowie jegliche Accessoires über den **MRS Multimount** an einer frei wählbaren Position im Bereich der Schiene zu montieren.

Eine zentrale Bedeutung spielt dabei auch der **MRS Fidlock Mount**. In Zusammenarbeit mit Fidlock wurde diese Halterung speziell für das MRS entwickelt. Mit dem MRS Fidlock Mount lassen sich alle XLC Produkte, die mit dem Fidlock-Twist-Connector ausgestattet sind, einfach, sicher und nach Bedarf anbringen.



Our patented **Modular Rail System**, called **MRS**, is integrated as a rail profile on the respective bicycle model either in the down tube, seat tube or on luggage racks. It enables to mount our **MRS products**, as well as any accessories via the **MRS Multimount** at a freely selectable position in the area of the rail.

The **MRS Fidlock Mount** plays a central role here. In cooperation with Fidlock, this mount has been specially developed for the MRS. With the MRS Fidlock Mount all XLC products, which are equipped with the Fidlock-Twist-Connector, can be attached easily, securely and as required.

2021 wurde das Modular Rail System nochmals überarbeitet. Welche Modelle mit dem MRS'18 und MRS'21 ausgestattet sind, erfährst du auf unserer Website. Den Link dazu findest du über den QR Code rechts.

In 2021 the Modular Rail System was revised. You can find out on our website, which models are equipped with the MRS'18 and MRS'21. You can find the link via the QR code on the right.




Weitere MRS Produkte sind in der Entwicklung und werden folgen. Further MRS products are being developed and will follow.



MR-S10
XLC MRS MULTIMOUNT

250 24 08001 91100 schwarz, inkl. Befestigungsmaterial
black, incl. mounting material



MR-S11
XLC MRS KITTRACK

250 24 08002 91300 schwarz, inkl. Befestigungsmaterial
black, incl. mounting material



MR-S15
XLC MRS FIDLOCK MOUNT

250 24 08003 92000 schwarz, inkl. Befestigungsmaterial
black, incl. mounting material

Dass dein Fahrrad mit dem Modular Rail System ausgestattet ist, erkennst du an dem langen Gummi, der im Rahmen eingelassen ist. Zudem am MRS Logo in der Nähe des Gummis.

You can recognize that your bike is equipped with the MRS by the long rubber, which is embedded in the frame. Furthermore there is a MRS logo near the rubber.

Welche Positionen des Modular Rail Systems gibt es?
What are the positions of the Modular Rail System?



MR-S07 / MR-S08 / MR-S16
XLC MRS FIDLOCK DOWNTUBE BAG

- | | |
|--------------------|---|
| 250 24 04000 96000 | Fidlock Downtube Bag - Set Gr. S |
| 250 24 04001 96300 | Fidlock Downtube Bag - Set Gr. M |
| 250 24 04002 96600 | Fidlock Downtube Bag - Set Gr. L |
| 250 24 04010 96000 | Fidlock Downtube Bag - Set Gr. S - ab MY'21 |
| 250 24 04011 96300 | Fidlock Downtube Bag - Set Gr. M - ab MY'21 |
| 250 24 04012 96600 | Fidlock Downtube Bag - Set Gr. L - ab MY'21 |



MR-S12

XLC MRS TRINKFLASCHE / WATER BOTTLE

250 24 02006 94400 450ml, transparent, inkl. MRS Fidlock Mount
250 24 02005 94700 600ml, transparent, inkl. MRS Fidlock Mount

MR-S13 / MR-S14

XLC MRS TRINKFLASCHE / WATER BOTTLE

250 24 02007 95000 650ml, transparent, inkl. MRS Fidlock Mount
250 24 02008 96000 700ml, transparent, inkl. MRS Fidlock Mount



MR-S17

XLC MRS BOTTLEBAG

250 24 08005 95000 schwarz, inkl. Befestigungsmaterial
black, incl. mounting material



MR-S01 / MR-S02

XLC MRS RAIL LOCK XLC MRS RAIL LOCK

250 24 00500 95200 nicht gleichschließend,
+2 Schlüssel
not simultaneous locking
version, incl. 2 keys

250 24 00000 97000 inkl. zweitem Bosch
Intubeschließzyylinder
incl. second Bosch Plus
cylinder

MR-S03

XLC MRS KABELSCHLOSS XLC MRS CABLE LOCK


250 24 00600 93500 Einstekkkabel,
100cm/Ø12mm
plug-in cable,
100cm/Ø12mm

MR-S04

XLC MRS KETTENSCHLOSS XLC MRS CHAIN LOCK

250 24 00700 95000 Einstekkkette
2,9", 85cm
plug-in chain
2,9", 85cm





WE ARE ePERFORMANCE

2023







NDURO

180 MM LONG TRAVEL COMFORT, TO TACKLE
ANY AND ALL TERRAIN. COMPACT, FAST AND SLEEK.





NDURO 8 FREERIDE



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



NDURO 8 FREERIDE

	GLOSSY
	NEBULAR NAVY
	NEBULAR PURPLE
	AQUAMARINE
	SILVER
	NEON PINK



AL	180/180	MIXED	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	140
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Bremse vorne / Brake front	Magura MT7, 220mm
Display	Yamaha Interface - X	Bremse hinten / Brake rear	Magura MT7, 203mm
Akku / Battery	InTube 750Wh	Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 62-622
Ladegerät / Charger	Fast Charger 4A	Reifen hinten / Tyres rear	Schwalbe Big Betty Evo Gravity, 65-584
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Laufradsatz / Wheel set	Mavic E-Deemax S
Gabel / Fork	Öhlins DH38 M.1, air, aluminium steerer tube 1 1/8", thru-axle	Lenker / Handlebar	Raceface Atlas Alu 820mm
Dämpfer / Damper	Öhlins TTX 22 M, Coil	Griffe / Grips	Raceface Half Nelson
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed	Vorbau / Stem	Raceface Chester 35, direct mount, Bar bore: 35mm
Schalthebel / Shift lever	Sram GX Eagle, trigger switch	Steuersatz / Headset	A-Head Alloy 1 1/8"
Zahnkranz (hinten) / Sprocket	Sram GX 1275 Eagle, 10-50 teeth	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kette / Chain	Sram GX Eagle	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenblatt / Chainring	Sram X-Sync 2, 38	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	140kg
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium	Fahrradtyp / Bicycle type	MTB Enduro

NDURO 8 FREERIDE



S 45174241 gloss / navy / pink / aqua / titan
 M 45174244 gloss / navy / pink / aqua / titan
 L 45174247 gloss / navy / pink / aqua / titan
 XL 45174250 gloss / navy / pink / aqua / titan



NDURO 7



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



NDURO 7



AL	180/180	MIXED	YAMAHA PW-X3	750	MRS	RANGE EXTENDER YAMAHA OPTIONAL	140
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	PER. TOTAL WEIGHT (KG)	

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Bremse vorne / Brake front	Magura MT7, 203mm
Display	Yamaha Interface - X	Bremse hinten / Brake rear	Magura MT7, 203mm
Akku / Battery	InTube 750Wh	Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 62-622
Ladegerät / Charger	Fast Charger 4A	Reifen hinten / Tyres rear	Schwalbe Big Betty Evo Gravity, 65-584
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Laufradsatz / Wheel set	Mavic E-Deemax
Gabel / Fork	FOX Performance 38, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Dämpfer / Damper	FOX Performance Float X2, air	Griffe / Grips	Haibike MTB grips
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed	Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore SLX M7100	Steuersatz / Headset	Acros BlockLock
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenblatt / Chainring	aluminium, 36	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	140kg
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium	Fahrradtyp / Bicycle type	MTB Enduro

NDURO 7



S 45172241 gloss / grey / red / lime / blk
 M 45172244 gloss / grey / red / lime / blk
 L 45172247 gloss / grey / red / lime / blk
 XL 45172250 gloss / grey / red / lime / blk



NDURO 6



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



NDURO 6

MATTE-GLOSSY

BLACK INK

ANTHRACITE

HAZY MANGO



AL FRAME MATERIAL	180/180 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-X3 DRIVE UNIT	630 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	140 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Big Betty, 65-584
Display	Yamaha Side Switch	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Akku / Battery	InTube 630Wh	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Gabel / Fork	RockShox Domain R, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Race, black
Dämpfer / Damper	RockShox Super Deluxe Select, air	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed	Griffe / Grips	Haibike MTB grips
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth	Steuersatz / Headset	Acros BlockLock
Kette / Chain	Sram SX Eagle	Sattel / Saddle	Selle Royal Vivo
Kettenblatt / Chainring	Sram X-Sync 2, 38	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremshebel / Brake lever	TRP Slate G-Spec, adjustable grip width, aluminium	Zul. Gesamtgewicht / Permitted total weight	140kg
Bremse vorne / Brake front	TRP Slate G-Spec, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB Enduro
Bremse hinten / Brake rear	TRP Slate G-Spec, aluminium, 203mm		
Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 62-622		

NDURO 6



S	45170241	matt-gloss / anthr / mango
M	45170244	matt-gloss / anthr / mango
L	45170247	matt-gloss / anthr / mango
XL	45170250	matt-gloss / anthr / mango





GEOOMETRY TABLES PAGE 143

HYBE

170 MM OF TRAVEL FOR BIG HIT COMFORT. AVAILABLE WITH TWO DIFFERENT NEW GENERATION eMTB SYSTEMS FOCUSED ON SPEED, INTEGRATION AND BIG MOUNTAIN PERFORMANCE. BELIEVE THE HYBE.





HYBE 11



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



HYBE 11

- GLOSSY
- PEARL BLUE
- DEEP MAGENTA
- NEON PINK



CF/AL FRAME MATERIAL	170/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	BOSCH PERFORMANCE CX-R DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
----------------------------	--------------------------------------	----------------------------------	--------------------------------------	---------------------------------	------------

Motor	Bosch Performance CX-R, 250W, 85Nm, 25km/h	Bremse vorne / Brake front	Magura MT5, 203mm
Display	Bosch Kiox 300 + LED Remote	Bremse hinten / Brake rear	Magura MT5, 203mm
Akku / Battery	Bosch PowerTube 750Wh	Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Ladegerät / Charger	Bosch Standard Charger 4A	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Laufradsatz / Wheel set	Mavic E-Deemax
Gabel / Fork	FOX 38 Factory Kashima, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Lenker / Handlebar	Raceface Atlas 785mm
Dämpfer / Damper	FOX Float X Factory, air	Griffe / Grips	MTB Griffe
Schaltwerk / Rear derailleur	Sram GX Eagle AXS, 12-speed	Vorbau / Stem	Raceface Chester, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Sram GX Eagle AXS	Steuersatz / Headset	Acros BlockLock
Zahnkranz (hinten) / Sprocket	Sram GX 1275 Eagle, 10-50 teeth	Sattel / Saddle	Selle Royal Vivo
Kette / Chain	Sram SX Eagle	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium	Fahrradtyp / Bicycle type	MTB All Mountain

HYBE 11



S 45920330 blue / magenta / pink - gloss
 M 45920340 blue / magenta / pink - gloss
 L 45920350 blue / magenta / pink - gloss
 XL 45920360 blue / magenta / pink - gloss



HYBE 9



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



HYBE 9



CF/AL FRAME MATERIAL	170/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
----------------------------	--------------------------------------	----------------------------------	---	---------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Display	Bosch LED Remote	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	Bosch PowerTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Bosch Standard Charger 4A	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox ZEB Select RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	RockShox Deluxe Select Plus, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore SLX M7100	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 36	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshand / Brake lever	Shimano SLX M7100, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano SLX M7120, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano SLX M7120, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

HYBE 9



S	45912330	grey / red - gloss
M	45912340	grey / red - gloss
L	45912350	grey / red - gloss
XL	45912360	grey / red - gloss

NDURO

HYBE

ALLMTN

LYKE

ALLTRACK

TREKKING

ADVENTURE





ALL MTN

THE DO IT ALL SHREDDERS.
160 MM OF PLUSH TRAVEL WITH A 50 / 50 GEOMETRY CONCEPT BASED AROUND AN
EQUAL FOCUS ON BALANCING BOTH UPHILL AND DOWNHILL ePERFORMANCE.



ALLMTN CF 11



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN CF 11

- GLOSSY
- NEW LIGHT MET. BLUE SLATE
- NEON YELLOW



CF/AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
----------------------------	--------------------------------------	----------------------------------	---	---------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Bremshebel / Brake lever	Shimano SLX M7100, aluminium
Display	Bosch Kiox 300 + LED Remote	Bremse vorne / Brake front	Shimano SLX M7120, aluminium, 203mm
Akku / Battery	Bosch PowerTube 750Wh	Bremse hinten / Brake rear	Shimano SLX M7120, aluminium, 203mm
Ladegerät / Charger	Bosch Standard Charger 4A	Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 71-584
Gabel / Fork	RockShox Lyrik Ultimate RC, air/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Laufradsatz / Wheel set	Mavic E- Deemax S
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Griffe / Grips	Haibike MTB grips
Schalthebel / Shift lever	Shimano Deore SLX M7100	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Steuersatz / Headset	Acros Cable integration
Kette / Chain	Shimano CN-M6100	Sattel / Saddle	Selle Royal Vivo
Kettenblatt / Chainring	aluminium, 36	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
		Zul. Gesamtgewicht / Permitted total weight	120kg
		Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN CF 11



S	45720330	slate / neon yellow - gloss
M	45720340	slate / neon yellow - gloss
L	45720350	slate / neon yellow - gloss
XL	45720360	slate / neon yellow - gloss

NDURO

HYBE

ALLMTN

LYKE

ALLTRAIL

ADVENTURE

TREKKING





ALLMTN 10



MATTE-GLOSSY



BLACK INK



AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Display	Yamaha Interface - X	Bremse hinten / Brake rear	Shimano Deore XT M8120, 203mm
Akku / Battery	InTube 750Wh	Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Ladegerät / Charger	Fast Charger 4A	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Laufradsatz / Wheel set	Mavic E-Deemax
Gabel / Fork	FOX 38 Factory Kashima, air,	Lenker / Handlebar	Haibike Components TheBar +++, 780mm
Dämpfer / Damper	FOX Float X Factory EVOL LV, air	Griffe / Grips	Haibike MTB grips
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch	Steuersatz / Headset	Acros BlockLock
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kette / Chain	Shimano SLX M7100	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenblatt / Chainring	aluminium, Haibike Components, 36	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN 10



S	45165241	matt-gloss / black ink
M	45165244	matt-gloss / black ink
L	45165247	matt-gloss / black ink
XL	45165250	matt-gloss / black ink

NDURO

HYBE

ALLMTN

LYKE

ALLTRAIL

ALLTRACK

ADVENTURE

TREKKING



ALLMTN CF 8



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN CF 8



GLOSSY



BLACK



GOLD



CF/AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
----------------------------	--------------------------------------	----------------------------------	---	---------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Display	Bosch Kiox 300 + LED Remote	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 71-584
Akku / Battery	Bosch PowerTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 35, eyed, double-walled rim, aluminium
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Kette / Chain	Sram SX Eagle	Steuersatz / Headset	Acros Cable integration
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Bremshobel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN CF 8



S	45716330	black / gold - gloss
M	45716340	black / gold - gloss
L	45716350	black / gold - gloss
XL	45716360	black / gold - gloss

NDURO

HYBRID

ALLMTN

LYKE

ALLTRAIL

ADVENTURE

TREKKING

TREKKING



ALLMTN 7 | CT



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 7 / C1



MATTE-GLOSSY



GREEN SHADOW

METALLIC CARAMEL
STREET

AL	160/160	MIXED	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Display	Yamaha Interface - X	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Gabel / Fork	FOX 36 Float Performance Luft 160 Lockout, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Dämpfer / Damper	FOX Float DPS Performance EVOL LV Trunnion, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schalthebel / Shift lever	Sram GX Eagle, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Kette / Chain	Sram SX Eagle	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	Sram X-Sync 2, 38	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Magura MT7, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Magura MT7, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN 7



S	45158241	mat-gloss / green / caramel / blk
M	45158244	mat-gloss / green / caramel / blk
L	45158247	mat-gloss / green / caramel / blk
XL	45158250	mat-gloss / green / caramel / blk



ALLMTN 7 | C2



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 7 / C2

- MATTE
- RED
- BLACK INK
- NEON YELLOW



AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Display	Yamaha Interface - X	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Gabel / Fork	FOX 36 Float Performance Luft 160 Lockout, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Dämpfer / Damper	FOX Float DPS Performance EVOL LV Trunnion, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schalthebel / Shift lever	Sram GX Eagle, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Kette / Chain	Sram SX Eagle	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	Sram X-Sync 2, 38	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Magura MT7, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Magura MT7, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN 7



S 45159241 matt / red / blk / neon
 M 45159244 matt / red / blk / neon
 L 45159247 matt / red / blk / neon
 XL 45159250 matt / red / blk / neon



ALLMTN 5



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 5



GLOSSY



PLATINUM CHROME



BLACK INK



AL	160/160	MIXED	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750	MRS	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"		BATTERY CAPACITY (WH)	MRS	PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Display	Bosch Kiox 300 + LED Remote	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	Bosch PowerTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Bosch Standard Charger 4A	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Rahmen / Frame	aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	RockShox Deluxe Select Plus, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	steel, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshobel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN 5



S	45157241	platinum / black - gloss
M	45157244	platinum / black - gloss
L	45157247	platinum / black - gloss
XL	45157250	platinum / black - gloss

NDURO

HYBE

ALLMTN

LYKE

ALLTRAIL

ALLTRACK

TREKKING

ADVENTURE



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 4



GLOSSY



KHAKI GREEN



RED



HONEYDEW



AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT410-B
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schalthebel / Shift lever	Shimano Deore SLX M7100	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	aluminium, Haibike Components, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Shimano Deore M6100, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN 4



S	45156241	gloss / khaki / red
M	45156244	gloss / khaki / red
L	45156247	gloss / khaki / red
XL	45156250	gloss / khaki / red



ALLMTN 3 / C1



GLOSSY



SILVER SURF



SPARKLING WHITE



AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	RockShox Deluxe select, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed	Lenker / Handlebar	Haibike Components TheBar +++, 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN 3



S	45700330	silver surf / white - gloss
M	45700340	silver surf / white - gloss
L	45700350	silver surf / white - gloss
XL	45700360	silver surf / white - gloss



ALLMTN 3 / C2



GLOSSY



LIME



BLACK INK



AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	RockShox Deluxe select, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

ALLMTN 3



S	45704330	lime / black - gloss
M	45704340	lime / black - gloss
L	45704350	lime / black - gloss
XL	45704360	lime / black - gloss



ALLMTN 2 / C1



GLOSSY



WARM URBAN GREY



LEMON CREAM



BLACK INK



AL	160/160	MIXED	YAMAHA PW-X3	630	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Display	Yamaha Side Switch	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Akku / Battery	InTube 630Wh	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Race, black
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed	Griffe / Grips	Haibike MTB grips
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Steuersatz / Headset	Acros BlockLock
Kette / Chain	Sram SX Eagle	Sattel / Saddle	Selle Royal Vivo
Kettenblatt / Chainring	Sram X-Sync 2, 38	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremshebel / Brake lever	TRP Slate T4, aluminium	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm		
Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622		

ALLMTN 2



S	45149241	gloss / grey / lemon / blk
M	45149244	gloss / grey / lemon / blk
L	45149247	gloss / grey / lemon / blk
XL	45149250	gloss / grey / lemon / blk



ALLMTN 2 / C2



GLOSSY



AQUAMARINE



* MIAMI GREEN



BLACK INK



AL FRAME MATERIAL	160/160 TRAVEL (mm) FRONT/REAR	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-X3 DRIVE UNIT	630 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Display	Yamaha Side Switch	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Akku / Battery	InTube 630Wh	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Race, black
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed	Griffe / Grips	Haibike MTB grips
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Steuersatz / Headset	Acros BlockLock
Kette / Chain	Sram SX Eagle	Sattel / Saddle	Selle Royal Vivo
Kettenblatt / Chainring	Sram X-Sync 2, 38	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremshebel / Brake lever	TRP Slate T4, aluminium	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm		
Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622		

ALLMTN 2



S	45150241	gloss / aqua / green / blk
M	45150244	gloss / aqua / green / blk
L	45150247	gloss / aqua / green / blk
XL	45150250	gloss / aqua / green / blk





LYKE

GAME CHANGING AGILITY AND LIGHTWEIGHT ePERFORMANCE.
WITH AN ALL NEW FULL CARBON FRAME AND 140 MM OF TRAVEL,
THE LYKE OFFERS A NATURAL, PLAYFUL RIDE, OPTIMISED FOR
THOSE WITH AN ACTIVE RIDING STYLE.



LYKE CF SE



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



LYKE CF SE

- GLOSSY
- BLUE UD CARBON
- DARK BRONZE



CF	140/140	29"	FAZUA RIDE60	430	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	FAZUA OPTIONAL

Motor	Fazua Ride60, 250W, 60Nm, 25km/h	Bremse vorne / Brake front	Shimano XTR M9120, 203mm
Display	Fazua Straight bar Ring control	Bremse hinten / Brake rear	Shimano XTR M9120, 180mm
Akku / Battery	Fazua Energy InTube 430Wh	Reifen vorne / Tyres front	Maxxis Dissector MaxSpeed EXO, 62-622
Ladegerät / Charger	Fazua 3A	Reifen hinten / Tyres rear	Maxxis Dissector MaxSpeed EXO+, 62-622
Rahmen / Frame	carbon, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Laufradsatz / Wheel set	Mavic E- Crossmax XL R Carbon
Gabel / Fork	FOX 36 Float Factory, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Lenker / Handlebar	Raceface Next Carbon 760mm
Dämpfer / Damper	FOX Float X Factory, air	Griffe / Grips	Raceface Half Nelson
Schaltwerk / Rear derailleur	Shimano XTR M9100, 12-speed	Vorbau / Stem	Raceface Turbine SL, A-head, Bar bore: 35mm
Schalthebel / Shift lever	Shimano XTR M9100, trigger switch	Steuersatz / Headset	Acros BlockLock
Zahnkranz (hinten) / Sprocket	Shimano XT M8100, 10-51 teeth	Sattel / Saddle	fi'zi:k Terra Aidon X1-145 Carbon
Kette / Chain	Shimano XT M8100	Sattelstütze / Seat post	FOX Transfer FACTORY, telescope, 31.6mm
Kettenblatt / Chainring	aluminium, Rotor CNC, 32	Pedale / Pedals	XLC Freeridepedal Aluminium CNC
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremshebel / Brake lever	Shimano XTR M9120, adjustable grip width, aluminium	Fahrradtyp / Bicycle type	MTB All Mountain

LYKE CF SE



S	45808330	navy / bronze - gloss
M	45808340	navy / bronze - gloss
L	45808350	navy / bronze - gloss
XL	45808360	navy / bronze - gloss

NDURO

HYBRID

ALLMTN

LYKE

ALLTRAIL

TREKKING

ADVENTURE



LYKE 11



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



LYKE 11



CF	140/140	29"	FAZUA RIDE60	430	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	FAZUA OPTIONAL

Motor	Fazua Ride60, 250W, 60Nm, 25km/h	Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Display	Fazua Straight bar Ring control	Bremse hinten / Brake rear	Shimano Deore XT M8120, 180mm
Akku / Battery	Fazua Energy InTube 430Wh	Reifen vorne / Tyres front	Maxxis Dissector MaxSpeed EXO, 62-622
Ladegerät / Charger	Fazua 3A	Reifen hinten / Tyres rear	Maxxis Dissector MaxSpeed EXO+, 62-622
Rahmen / Frame	carbon, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Laufradsatz / Wheel set	Mavic E- Crossmax XL S
Gabel / Fork	FOX 36 Float Performance, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Lenker / Handlebar	XLC FlowBy 780mm
Dämpfer / Damper	FOX Float Performance DPS EVOL, air	Griffe / Grips	Haibike MTB grips
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Vorbau / Stem	XLC FlowBy, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch	Steuersatz / Headset	Acros BlockLock
Zahnkranz (hinten) / Sprocket	Shimano M7100, 10-51 teeth	Sattel / Saddle	Selle Italia Model X
Kette / Chain	Shimano SLX M7100	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Kettenblatt / Chainring	aluminium, Rotor CNC, 32	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium	Fahrradtyp / Bicycle type	MTB All Mountain

LYKE 11



S	45804330	carbon / sand / lime - gloss
M	45804340	carbon / sand / lime - gloss
L	45804350	carbon / sand / lime - gloss
XL	45804360	carbon / sand / lime - gloss

NDURO

HYBE

ALLMTN

LYKE

ALLTRACK

TREKKING

ADVENTURE



LYKE 10



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



LYKE 10

- GLOSSY
- NEON ORANGE **NEW**
- WARM GREY
- LEATHER **NEW**
- BLACK INK



CF	140/140	29"	FAZUA RIDE60	430	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	FAZUA OPTIONAL

Motor	Fazua Ride60, 250W, 60Nm, 25km/h	Reifen vorne / Tyres front	Schwalbe Wicked Will Evo Super Ground, 62-622
Display	Fazua Straight bar Ring control	Reifen hinten / Tyres rear	Schwalbe Wicked Will Evo Super Trail, 62-622
Akku / Battery	Fazua Energy InTube 430Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fazua 3A	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Rahmen / Frame	carbon, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	FOX 36 Float Performance, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	FOX Float Performance DPS EVOL, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed	Lenker / Handlebar	XLC FlowBy 780mm
Schalthebel / Shift lever	Shimano Deore SLX M7100	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	XLC FlowBy, A-head, Bar bore: 31.8mm
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	aluminium, Rotor CNC, 32	Sattel / Saddle	Selle Italia Model X
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Bremshebel / Brake lever	Shimano Deore M6100, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 180mm	Fahrradtyp / Bicycle type	MTB All Mountain

LYKE 10



S	45800330	leather / orange - gloss
M	45800340	leather / orange - gloss
L	45800350	leather / orange - gloss
XL	45800360	leather / orange - gloss

NDURO

HYBRID


ALLMTN

LYKE

ALLTRAIL

ADVENTURE

TREKKING





ALLTRAIL

RELIABLE eMTBS FOR LONG RIDES AND COMFORTABLE OFF-ROAD ePERFORMANCE, AVAILABLE IN A RANGE OF DIFFERENT WHEEL, BATTERY AND MOTOR SIZE MODELS.

GEOMETRY TABLES PAGE 144



ALLTRAIL 10



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 10

- GLOSSY
 - PEBBLE GREY
 - BLACK INK
- NEW**



AL FRAME MATERIAL	140/140 150/150 TRAVEL (mm) FRONT/REAR	29" 27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	150 PER. TOTAL WEIGHT (KG)
----------------------	---	----------------------------	---	------------------------------	------------	-------------------------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 65-622 27.5": Schwalbe Magic Mary Evo TLE, 65-584
Display	Bosch Kiox 300 + LED Remote	Reifen hinten / Tyres rear	Schwalbe Hans Dampf Evo TLE, 65-622 27.5": Schwalbe Hans Dampf Evo TLE, 65-584
Akku / Battery	Bosch PowerTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradmabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradmabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore SLX M7100	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Alu, A-head
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 10 29



M	45424340	pebble grey / black - gloss
L	45424350	pebble grey / black - gloss
XL	45424360	pebble grey / black - gloss

ALLTRAIL 10 27.5



S	45324330	pebble grey / black - gloss
M	45324340	pebble grey / black - gloss
L	45324350	pebble grey / black - gloss

NDURO

HYBRID

ALLMTN

LYKE

ALLTRAIL

ADVENTURE FS

TREKKING

TREKKING 5



ALLTRAIL 9





ALLTRAIL 9



GLOSSY

METALLIC STONE
BLUE

METALLIC OLIVE



AL	140/140	29" 27.5"	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Hans Dampf Evo TLE, 65-622
Display	Yamaha Side Switch	27.5": Schwalbe Hans Dampf Evo TLE, 65-584	
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	27.5": WTB ST i35 TCS, double-walled rim	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Vorderradnabe / Front wheel hub	27.5": WTB ST i35 TCS, double-walled rim
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Speichen / Spokes	Shimano MT400-B
Schalthebel / Shift lever	Sram NX Eagle, trigger switch	Lenker / Handlebar	Sapim Race, black
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Griffe / Grips	Haibike Components TheBar +++ 780mm
Kette / Chain	Sram SX Eagle	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7°
Kettenblatt / Chainring	Sram X-Sync 2, 38	Steuersatz / Headset	Acros BlockLock
Kettenführung / Chain guide	Nylon directmount	Sattel / Saddle	Selle Royal Vivo
Bremshebel / Brake lever	Shimano MT401, aluminium	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 65-622 27.5": Schwalbe Magic Mary Evo TLE, 65-584	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 9 29



M	45038244	gloss / metal blue / olive
L	45038247	gloss / metal blue / olive
XL	45038250	gloss / metal blue / olive

ALLTRAIL 9 27.5



S	45020241	gloss / metal blue / olive
M	45020244	gloss / metal blue / olive
L	45020247	gloss / metal blue / olive



ALLTRAIL 8



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 8

- GLOSSY
- METALLIC TUSCAN
- * NEON RED



AL FRAME MATERIAL	140/140 150/150 TRAVEL (mm) FRONT/REAR	29" 27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	625 BATTERY CAPACITY (WH)	MRS MRS	150 PER. TOTAL WEIGHT (KG)
----------------------	---	----------------------------	---	------------------------------	------------	-------------------------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 62-622 27.5": Schwalbe Nobby Nic Perf., 65-584
Display	Bosch Kiox 300 + LED Remote	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 625Wh	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Vorderradnabe / Front wheel hub	Shimano MT400-B
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed	Griffe / Grips	Haibike MTB grips
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Vorbau / Stem	Alu, A-head
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Steuersatz / Headset	A-Head Tapered
Kette / Chain	Shimano CN-M6100	Sattel / Saddle	Selle Royal Vivo
Kettenblatt / Chainring	steel, 38	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremshobel / Brake lever	Shimano MT401, aluminium	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm		
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 62-622 27.5": Schwalbe Nobby Nic Perf., 65-584		

ALLTRAIL 8 29



M 45420340 tuscan / neon red - gloss
 L 45420350 tuscan / neon red - gloss
 XL 45420360 tuscan / neon red - gloss

ALLTRAIL 8 27.5



S 45320330 tuscan / neon red - gloss
 M 45320340 tuscan / neon red - gloss
 L 45320350 tuscan / neon red - gloss



ALLTRAIL 6 | C1



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 6 / C1



MATTE-GLOSSY



SPACE BLUE

METALLIC CARAMEL
STREET

AL	140/140	29" 27.5"	YAMAHA PW-S2	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Hans Dampf Evo TLE, 65-622
Display	Yamaha Side Switch	27.5": Schwalbe Hans Dampf Evo TLE, 65-584	
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	27.5": WTB ST i35 TCS, double-walled rim	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Vorderradnabe / Front wheel hub	27.5": WTB ST i35 TCS, double-walled rim
Dämpfer / Damper	RockShox Deluxe select plus, air	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed	Speichen / Spokes	Shimano MT410-B
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Lenker / Handlebar	Sapim Race, black
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Griffe / Grips	Haibike Components TheBar ++ 780mm
Kette / Chain	Shimano CN-M6100	Vorbau / Stem	
Kettenblatt / Chainring	steel, 38	Steuersatz / Headset	Alu, A-head
Kettenführung / Chain guide	Nylon directmount	Sattel / Saddle	Acros BlockLock
Bremshebel / Brake lever	Shimano MT401, aluminium	Sattelstütze / Seat post	Selle Royal Vivo
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Pedale / Pedals	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	Freeridepedal aluminium, mit Reflektor
Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 65-622 27.5": Schwalbe Magic Mary Evo TLE, 65-584	Fahrradtyp / Bicycle type	150kg

ALLTRAIL 6 29



M	45412340	blue / caramel - matt&gloss
L	45412350	blue / caramel - matt&gloss
XL	45412360	blue / caramel - matt&gloss

ALLTRAIL 6 27.5



S	45312330	blue / caramel - matt&gloss
M	45312340	blue / caramel - matt&gloss
L	45312350	blue / caramel - matt&gloss



ALLTRAIL 6 | C2



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 6 / C2



GLOSSY



PAPAYA METALLIC



BLACK



AL FRAME MATERIAL	140/140 TRAVEL (mm) FRONT/REAR	29" 27.5"	WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	--------------	------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Hans Dampf Evo TLE, 65-622
Display	Yamaha Side Switch	27.5": Schwalbe Hans Dampf Evo TLE, 65-584	
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	27.5": WTB ST i35 TCS, double-walled rim	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Vorderradnabe / Front wheel hub	27.5": WTB ST i35 TCS, double-walled rim
Dämpfer / Damper	RockShox Deluxe select plus, air	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed	Speichen / Spokes	Shimano MT410-B
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Lenker / Handlebar	Sapim Race, black
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Griffe / Grips	Haibike Components TheBar ++ 780mm
Kette / Chain	Shimano CN-M6100	Vorbau / Stem	Haibike MTB grips
Kettenblatt / Chainring	steel, 38	Steuersatz / Headset	Alu, A-head
Kettenführung / Chain guide	Nylon directmount	Sattel / Saddle	Acros BlockLock
Bremshebel / Brake lever	Shimano MT401, aluminium	Sattelstütze / Seat post	Selle Royal Vivo
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Pedale / Pedals	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	Freeridepedal aluminium, mit Reflektor
Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 65-622 27.5": Schwalbe Magic Mary Evo TLE, 65-584	Fahrradtyp / Bicycle type	150kg

ALLTRAIL 6 29



M	45416340	papaya / black - gloss
L	45416350	papaya / black - gloss
XL	45416360	papaya / black - gloss

ALLTRAIL 6 27.5



S	45316330	papaya / black - gloss
M	45316340	papaya / black - gloss
L	45316350	papaya / black - gloss



ALLTRAIL 5



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 5



GLOSSY



TITAN

METALLIC CARAMEL
STREET

AL	140/140	29" 27.5"	YAMAHA PW-S2	750	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen vorne / Tyres front	Continental Trail King, 62-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	27.5": Continental Trail King, 62-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	Continental Trail King, 62-622
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	27.5": Continental Trail King, 62-584
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	WTB ST i30 TCS, double-walled rim
Gabel / Fork	RockShox 35 Silver, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	WTB ST i30 TCS, double-walled rim
Dämpfer / Damper	RockShox Deluxe select plus, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Alu, A-head
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 59



M	45408340	titan / caramel - gloss
L	45408350	titan / caramel - gloss
XL	45408360	titan / caramel - gloss

ALLTRAIL 527.5



S	45308330	titan / caramel - gloss
M	45308340	titan / caramel - gloss
L	45308350	titan / caramel - gloss



ALLTRAIL 4 / C1



MATTE



GREEN SHADOW



BLACK INK



METALLIC CARAMEL STREET



AL FRAME MATERIAL	120/120 140/150 TRAVEL (mm) FRONT/REAR	29" 27.5" WHEEL SIZE	YAMAHA PW-ST SYSTEM DRIVE UNIT	630 BATTERY CAPACITY (WH)	MRS MRS
----------------------	---	----------------------------	-----------------------------------	------------------------------	------------

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h	Reifen vorne / Tyres front	Continental Trail King, 60-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Continental Trail King, 60-622
Akku / Battery	InTube 630Wh	Felgen vorne / Rims front	27.5": Continental Trail King, 65-584
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradmabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	SR Suntour XCR 34 Coil LO Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost 27.5": SR Suntour XCR34 COIL LO, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradmabe / Rear wheel hub	Shimano MT400-B
Dämpfer / Damper	SR Suntour Edge LO-R8, air	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7°
Kette / Chain	KMC X11e	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	steel, 36 27.5": steel, 38	Sattel / Saddle	Selle Bassano Reko R2 E-Sport
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Bremshobel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 4 29



M	45022244	matt / green / metal gld / blk
L	45022248	matt / green / metal gld / blk
XL	45022252	matt / green / metal gld / blk

ALLTRAIL 4 27.5



S	45004240	matt / green / metal gld / blk
M	45004244	matt / green / metal gld / blk
L	45004248	matt / green / metal gld / blk



ALLTRAIL 4 | C2



GLOSSY



HONEYDEW



BLACK INK



AL FRAME MATERIAL	120/120 140/150 TRAVEL (mm) FRONT/REAR	29" 27.5" WHEEL SIZE	YAMAHA PW-ST SYSTEM DRIVE UNIT	630 BATTERY CAPACITY (WH)	MRS MRS
----------------------	---	----------------------------	-----------------------------------	------------------------------	------------

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h	Reifen vorne / Tyres front	Continental Trail King, 60-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Continental Trail King, 60-622 27.5": Continental Trail King, 65-584
Akku / Battery	InTube 630Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradmabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	SR Suntour XCR 34 Coil LO Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost 27.5": SR Suntour XCR34 COIL LO, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradmabe / Rear wheel hub	Shimano MT400-B
Dämpfer / Damper	SR Suntour Edge LO-R8, air	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7°
Kette / Chain	KMC X11e	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	steel, 36 27.5": steel, 38	Sattel / Saddle	Selle Bassano Reko R2 E-Sport
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Bremshobel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 4 29



M	45024244	gloss / honeydew / blk
L	45024248	gloss / honeydew / blk
XL	45024252	gloss / honeydew / blk

ALLTRAIL 4 27.5



S	45006240	gloss / honeydew / blk
M	45006244	gloss / honeydew / blk
L	45006248	gloss / honeydew / blk



ALLTRAIL 3 / C1

MATTE

BLACK INK

TITAN



AL FRAME MATERIAL	140 TRAVEL (mm) FRONT	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 60-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Rahmen / Frame	aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	SR Suntour XCR34 Air LO-R Boost, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Dämpfer / Damper	RockShox Deluxe select plus, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth	Vorbau / Stem	Alu, A-head
Kette / Chain	KMC e10S	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Bremshand / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 3



S	45300330	black / titan - matt
M	45300340	black / titan - matt
L	45300350	black / titan - matt
XL	45300360	black / titan - matt



ALLTRAIL 3 / C2



GLOSSY



LIGHT WARM GREY



NEON YELLOW



AL FRAME MATERIAL	140 TRAVEL (mm) FRONT	MIXED WHEEL SIZE 29"/27.5"	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	----------------------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 60-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Rahmen / Frame	aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	SR Suntour XCR34 Air LO-R Boost, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Dämpfer / Damper	RockShox Deluxe select plus, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth	Vorbau / Stem	Alu, A-head
Kette / Chain	KMC e10S	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Bremshand / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 3



S	45304330	grey / neon yellow - gloss
M	45304340	grey / neon yellow - gloss
L	45304350	grey / neon yellow - gloss
XL	45304360	grey / neon yellow - gloss





ALLTRACK

HARDTAIL eMTBS FOR THE STREET
AND LIGHT OFF-ROAD RIDING.



ALLTRACK 11

- MATTE
- MET. ROYAL VIOLA
- MET. LEMON CREAM
- BLACK INK



AL	120	29" 27.5"	BOSCH PERF. CX SMART SYSTEM	750	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584
Display	Bosch LED Remote	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 750Wh	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Vorderradnabe / Front wheel hub	Shimano MT400-B
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Gabel / Fork	FOX 34 Rhythm FLOAT, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Alu, A-head
Kette / Chain	Shimano CN-M6100	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	XLC MTB
Bremshebel / Brake lever	Shimano SLX M7100, aluminium	Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium
Bremse vorne / Brake front	Shimano SLX M7120, aluminium, 203mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Shimano SLX M7120, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584	Fahrradtyp / Bicycle type	MTB Hardtail

ALLTRACK 11 29



M 45224340 royal viola / lemon - matt
 L 45224350 royal viola / lemon - matt
 XL 45224360 royal viola / lemon - matt

ALLTRACK 11 27.5



S 45124330 royal viola / lemon - matt



ALLTRACK 9



MATTE-GLOSSY



SILVER



BLACK INK



AL	120	29" 27.5"	BOSCH PERF. CX SMART SYSTEM	750	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Perf., 65-584
Display	Bosch LED Remote	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 750Wh	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Gabel / Fork	RockShox 35 Silver, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7°
Kette / Chain	Sram SX Eagle	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	Sram X-Sync 2, 38	Sattel / Saddle	XLC MTB
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Bremshobel / Brake lever	Tektro Orion M745, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Tektro Orion M745, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Tektro Orion M745, 180mm	Fahrradtyp / Bicycle type	MTB Hardtail
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584		

ALLTRACK 9 29



M	45001844	matt / gloss / silver / blk
L	45001848	matt / gloss / silver / blk
XL	45001852	matt / gloss / silver / blk

ALLTRACK 9 27.5



S	45001241	matt / gloss / silver / blk
---	----------	-----------------------------



ALLTRACK 7



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRACK 7



GLOSSY



URBAN GREY



WHITE



AL FRAME MATERIAL	130 TRAVEL (mm) FRONT	29" 27.5" WHEEL SIZE	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	-----------------------------	----------------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622
Display	Yamaha Side Switch		27.5": Schwalbe Nobby Nic Performance, 65-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox 35 Silver TK, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed	Speichen / Spokes	Sapim Leader, black
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Griffe / Grips	XLC MTB grips
Kette / Chain	Shimano CN-M6100	Vorbau / Stem	Alu, A-head
Kettenblatt / Chainring	steel, 38	Steuersatz / Headset	A-Head Tapered
Bremshebel / Brake lever	Shimano MT401, aluminium	Sattel / Saddle	Seile Royal Vivo Unitech
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622	Zul. Gesamtgewicht / Permitted total weight	150kg
	27.5": Schwalbe Nobby Nic Performance, 65-584	Fahrradtyp / Bicycle type	MTB Hardtail

ALLTRACK 7 29



M	45212340	urban grey / white - gloss
L	45212350	urban grey / white - gloss
XL	45212360	urban grey / white - gloss

ALLTRACK 7 27.5



S	45112330	urban grey / white - gloss
M	45112340	urban grey / white - gloss

NDURO

HYBRID

LYKE

ALLMTN

ALLTRACK

TREKKING

ADVENTURE

ALLTRACK 6



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRACK 6

- GLOSSY
- PAPAYA METALLIC
- TITAN



AL	120	29" 27.5"	YAMAHA PW-S2	750	MRS	RANGE EXTENDER YAMAHA OPTIONAL
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622
Display	Yamaha Side Switch		27.5": Schwalbe Nobby Nic Performance, 65-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	SR Suntour XCM34 NLO DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Speichen / Spokes	Sapim Leader, black
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Lenker / Handlebar	XLC 720mm
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Griffe / Grips	XLC MTB grips
Kette / Chain	Shimano HG601	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Kettenblatt / Chainring	steel, 38	Steuersatz / Headset	A-Head Tapered
Bremshebel / Brake lever	Shimano MT401, aluminium	Sattel / Saddle	Selle Royal Vivo Unitech
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584	Zul. Gesamtgewicht / Permitted total weight	120kg
		Fahrradtyp / Bicycle type	MTB Hardtail

ALLTRACK 6 29



M	45208340	papaya / titan - gloss
L	45208350	papaya / titan - gloss
XL	45208360	papaya / titan - gloss

ALLTRACK 6 27.5



S	45108330	papaya / titan - gloss
M	45108340	papaya / titan - gloss



ALLTRACK 5



GLOSSY



ANTHRACTITE



MET. SLATE BLUE



AL FRAME MATERIAL	120 TRAVEL (mm) FRONT	29" 27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	----------------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622
Display	Yamaha Side Switch		27.5": Schwalbe Nobby Nic Performance, 65-584
Akku / Battery	InTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Schaltwerk / Rear derailleur	Shimano Deore M4120, 10-speed	Speichen / Spokes	Sapim Leader, black
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch	Lenker / Handlebar	XLC 720mm
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth	Griffe / Grips	XLC MTB grips
Kette / Chain	KMC e10S	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Kettenblatt / Chainring	steel, 38	Steuersatz / Headset	A-Head Tapered
Bremshebel / Brake lever	Shimano MT201, aluminium	Sattel / Saddle	XLC MTB
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622	Zul. Gesamtgewicht / Permitted total weight	120kg
	27.5": Schwalbe Nobby Nic Performance, 65-584	Fahrradtyp / Bicycle type	MTB Hardtail

ALLTRACK 5 29



M	45204340	anthracite / slate - gloss
L	45204350	anthracite / slate - gloss
XL	45204360	anthracite / slate - gloss

ALLTRACK 5 27.5



S	45104330	anthracite / slate - gloss
M	45104340	anthracite / slate - gloss



ALLTRACK 4

- GLOSSY
- DARK BLUE
- LEATHER
NEW



AL	120	29" 27.5"	BOSCH PERF. LINE SMART SYSTEM	500
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h
Display	Bosch LED Remote
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshobel / Brake lever	Alhonga HT472, aluminium
Bremse vorne / Brake front	Alhonga HT472, aluminium, 180mm
Bremse hinten / Brake rear	Alhonga HT472, aluminium, 180mm
Reifen vorne / Tyres front	WTB Ranger Comp, 55-622 27.5": WTB Ranger Comp, 55-584

Reifen hinten / Tyres rear	WTB Ranger Comp, 55-622 27.5": WTB Ranger Comp, 55-584
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Alunabe
Hinterradnabe / Rear wheel hub	Alu Nabe
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC 720mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB Hardtail

ALLTRACK 4 29



M	45200340	cool blue / leather - gloss
L	45200350	cool blue / leather - gloss
XL	45200360	cool blue / leather - gloss

ALLTRACK 4 27.5



S	45100330	cool blue / leather - gloss
M	45100340	cool blue / leather - gloss

NDURO

HYBE

ALLMTN

LYKE

ALLTRAIL

ALLTRACK

TREKKING

ADVENTURE



ALLTRACK

MATTE

OLIVE

ORANGE RED



AL	120	27.5"	BOSCH PERF. LINE SMART SYSTEM	500
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	WTB Ranger Comp, 55-584
Display	Bosch LED Remote	Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 500Wh	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch compact charger 2A	Vorderradnabe / Front wheel hub	Alunabe
Rahmen / Frame	aluminium	Hinterradnabe / Rear wheel hub	Alu Nabe
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed	Lenker / Handlebar	XLC 720mm
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch	Griffe / Grips	XLC MTB grips
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Kette / Chain	KMC X9	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	steel, 34	Sattel / Saddle	XLC MTB
Bremshebel / Brake lever	Alhonga HT472, aluminium	Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Bremse vorne / Brake front	Alhonga HT472, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Alhonga HT472, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen vorne / Tyres front	WTB Ranger Comp, 55-584	Fahrradtyp / Bicycle type	bikes for kids and teenagers

ALLTRACK



S 45000330 olive / orange - matt



ALLTRACK KIDS

- GLOSSY
- NEBULAR LIME
- CRYSTAL RED
- NEON GREEN



AL FRAME MATERIAL	63 TRAVEL (mm) FRONT	24" WHEEL SIZE	YAMAHA PW-TE SYSTEM DRIVE UNIT	400 BATTERY CAPACITY (WH)
-------------------------	----------------------------	-------------------	-----------------------------------	---------------------------------

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h	Felgen vorne / Rims front	Rodi FW Disc, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Felgen hinten / Rims rear	Rodi FW Disc, eyed, double-walled rim, aluminium
Akku / Battery	Yamaha Lithium Ion 400Wh	Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Ladegerät / Charger	Yamaha quick charger 4A	Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount	Speichen / Spokes	Sapim Leader, black
Gabel / Fork	SR Suntour XCR LO Lockout, steel spring, steel steerer tube 1 1/8", quick release	Lenker / Handlebar	Haibike Components TheBar + Topflat 640mm
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed	Griffe / Grips	Haibike MTB grips
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Zahnkranz (hinten) / Sprocket	SunRace CSM90, 11-36 teeth	Steuersatz / Headset	A-Head Tapered
Kette / Chain	KMC X9	Sattel / Saddle	Haibike Components TheSaddle Kids
Kettenblatt / Chainring	steel, 32	Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	Wellgo LU984DU
Bremshebel / Brake lever	Tektro M282, aluminium	Zul. Gesamtgewicht / Permitted total weight	80kg
Bremse vorne / Brake front	Tektro M282, 160mm	Fahrradtyp / Bicycle type	bikes for kids and teenagers
Bremse hinten / Brake rear	Tektro M282, 160mm		
Reifen vorne / Tyres front	Schwalbe Billy Bonkers, 50-507		
Reifen hinten / Tyres rear	Schwalbe Billy Bonkers, 50-507		

ALLTRACK KIDS



Uni 45000234 gloss / lime / crystal red

NDURO

HYBRID

ALLMTN

LYKE

ALLTRAIL

ALLTRACK

TREKKING ADVENTURE

TREKKING





ADVENTR

FULL TRAVEL, PRACTICAL eMTBS FOR A RANGE OF OUTDOOR
EXPERIENCES, FULLY EQUIPPED FOR DAILY AND WEEKEND ADVENTURES.



ADVENTR FS 11





ADVENTR FS 11

- GLOSSY
- NEBULAR MIDNIGHT
BLUE
- LIGHT COPPER
NEW!



AL FRAME MATERIAL	140/140 TRAVEL (mm) FRONT/REAR	27.5"	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	150 PER. TOTAL WEIGHT (KG)
-------------------------	--------------------------------------	-------	---	---------------------------------	----------------------------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Race, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	XLC Sport bo2 screw grips
Dämpfer / Damper	RockShox Deluxe Select, air	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Steuersatz / Headset	A-Head Tapered
Schalthebel / Shift lever	Shimano Deore SLX M7100	Sattel / Saddle	Selle Royal Vivo
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kette / Chain	Shimano CN-M6100	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenblatt / Chainring	Sram X-Sync 2, 38	Scheinwerfer / Headlight	Litemove AE-130, 130 lux
Bremshebel / Brake lever	Shimano MT401, aluminium	Rücklicht / Rear light	AXA Juno Ebike
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Dynamo / Dynamo	via system battery
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Curana Apollo 75, aluminium
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Ständer / Stand	Ursus Mooi, adjustable
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim	Zul. Gesamtgewicht / Permitted total weight	150kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

ADVENTR FS 11



M 45604340 midnight / copper - gloss
 L 45604350 midnight / copper - gloss
 XL 45604360 midnight / copper - gloss

NDURO

HYBRID

ALLMTN

LYKE

ALLTRAIL

ADVENTR FS

TREKKING

TREKKING



ADVENTR FS 10



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ADVENTR FS 10



GLOSSY



WARM URBAN GREY



BLACK INK



LIGHT WARM GREY



AL FRAME MATERIAL	140/140 TRAVEL (mm) FRONT/REAR	29" WHEEL SIZE	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	-------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Fast Charger 4A	Speichen / Spokes	Sapim Race, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Gabel / Fork	FOX 34 Float AWL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	XLC Comfort bo3
Dämpfer / Damper	FOX Float DPS Performance EVOL LV Trunnion, air	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Steuersatz / Headset	Acros BlockLock
Schalthebel / Shift lever	Sram NX Eagle, trigger switch	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kette / Chain	Sram SX Eagle	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenblatt / Chainring	Sram X-Sync 2, 38	Scheinwerfer / Headlight	Litemove AE-130, 130 lux
Kettenführung / Chain guide	Nylon directmount	Rücklicht / Rear light	AXA Juno
Bremshobel / Brake lever	Shimano MT401, aluminium	Dynamo / Dynamo	via system battery
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Schutzbleche / Fenders	Curana Apollo 75, aluminium
Reifen vorne / Tyres front	Schwalbe Johnny Watts Performance, 60-622	Ständer / Stand	Ursus Mooi, adjustable
Reifen hinten / Tyres rear	Schwalbe Johnny Watts Performance, 60-622	Zul. Gesamtgewicht / Permitted total weight	150kg
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim	Fahrradtyp / Bicycle type	City, Trekking, Cross

ADVENTR FS 10



S	45180242	gloss / warm grey / blk
M	45180246	gloss / warm grey / blk
L	45180250	gloss / warm grey / blk
XL	45180252	gloss / warm grey / blk



ADVENTR FS 9



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



ADVENTR FS 9

- MATTE
- SILVER
- DARK BLUE



AL FRAME MATERIAL	140/140 TRAVEL (mm) FRONT/REAR	29"	YAMAHA PW-S2 WHEEL SIZE	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	--------------------------------------	-----	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Fast Charger 4A	Speichen / Spokes	Sapim Race, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost	Griffe / Grips	XLC Sport bo2 screw grips
Dämpfer / Damper	RockShox Deluxe select, air	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Steuersatz / Headset	Acros BlockLock
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Sattel / Saddle	Selle Royal Vivo
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kette / Chain	Sram SX Eagle	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenblatt / Chainring	Sram X-Sync 2, 38	Scheinwerfer / Headlight	Herrmans H-Black MR8 E, 50 lux
Kettenführung / Chain guide	Nylon directmount	Rücklicht / Rear light	AXA Juno Ebike
Bremshebel / Brake lever	Shimano MT401, aluminium	Dynamo / Dynamo	via system battery
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Schutzbleche / Fenders	Curana Apollo 75, aluminium
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-622, reflex	Ständer / Stand	Ursus Mooi, adjustable
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-622, reflex	Zul. Gesamtgewicht / Permitted total weight	150kg
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim	Fahrradtyp / Bicycle type	City, Trekking, Cross

ADVENTR FS 9



S	45600330	silver / dark blue - matt
M	45600340	silver / dark blue - matt
L	45600350	silver / dark blue - matt
XL	45600360	silver / dark blue - matt

NDURO

HYBRID

ALLMTN

LYKE

ALLTRAIL


ADVENTR FS

TREKKING

TREKKING

GEOMETRY TABLES PAGE 146





TREKKING

HARDTAIL TREKKING MODELS FOR PRACTICAL EVERY DAY USE,
WEEKEND EXPLORATION AND DREAM HOLIDAY DESTINATIONS.





TREKKING 11 HIGH

- GLOSSY
- METALLIC TUSCAN
- * NEON RED



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminum
Kettenblatt / Chainring	steel, 40	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano Deore M6100, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 11 HIGH



S	45568330	tuscan / neon red - gloss
M	45568340	tuscan / neon red - gloss
L	45568350	tuscan / neon red - gloss
XL	45568360	tuscan / neon red - gloss



TREKKING 11 LOW

- GLOSSY
- METALLIC TUSCAN
- * NEON RED



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminum
Kettenblatt / Chainring	steel, 40	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano Deore M6100, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 11 LOW



S 45572330 tuscan / neon red - gloss
 M 45572340 tuscan / neon red - gloss
 L 45572350 tuscan / neon red - gloss

NDURO

HYBRID

LYKE

ALLTRAIL

TREKKING

TREKKING



TREKKING 8 HIGH / C1



GLOSSY



NEBULAR ROYAL BLUE

METALLIC FROZEN
LAKE

SILVER



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT401
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	XLC Comfort bo3
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	Haibike Components The Stem ++, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	KMC e11S	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT401-3, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounder Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounder Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 8 HIGH



S	45124250	gloss / roy blue / met silver
M	45124254	gloss / roy blue / met silver
L	45124258	gloss / roy blue / met silver
XL	45124262	gloss / roy blue / met silver



TREKKING 8 LOW / C1



GLOSSY



NEBULAR ROYAL BLUE

METALLIC FROZEN
LAKE

SILVER



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT401
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	XLC Comfort bo3
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	Haibike Components The Stem ++, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	KMC e11S	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT401-3, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounder Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounder Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 8 LOW



S	45125246	gloss / roy blue / met silver
M	45125250	gloss / roy blue / met silver
L	45125254	gloss / roy blue / met silver

NDURO

HYBRID

ALLMTN

LYKE

ALLTRAIL

ADVENTURE

TREKKING

TREKKING 5





TREKKING 8 HIGH / C2

- GLOSSY
- METALLIC LAVA
- SPARKLING YELLOW
- BLACK INK



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano CS-LG400, 11-50 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	KMC e11S	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounde Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounde Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 8 HIGH



S	45552330	metal lava / yellow - gloss
M	45552340	metal lava / yellow - gloss
L	45552350	metal lava / yellow - gloss
XL	45552360	metal lava / yellow - gloss

NDURO

HYBE

ALLMTN

LYKE

ALLTRAIL

TREKKING

TREKKING



TREKKING 8 LOW / C2



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



TREKKING 8 LOW / C2

- GLOSSY
- METALLIC LAVA
- SPARKLING YELLOW
- BLACK INK



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano CS-LG400, 11-50 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	KMC e11S	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminum
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounder Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounder Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 8 LOW



S 45556330 metal lava / yellow - gloss
 M 45556340 metal lava / yellow - gloss
 L 45556350 metal lava / yellow - gloss



TREKKING 7 HIGH



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



TREKKING 7 HIGH



GLOSSY



URBAN GREY



WHITE



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-X3 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL	150 PER. TOTAL WEIGHT (KG)
----------------------	-----------------------------	---------------------	----------------------------	------------------------------	------------	-----------------------------------	-------------------------------

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT401, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR8 E, 50 lux
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	150kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

TREKKING 7 HIGH



S	45544330	urban grey / white - gloss
M	45544340	urban grey / white - gloss
L	45544350	urban grey / white - gloss
XL	45544360	urban grey / white - gloss
XXL	45544370	urban grey / white - gloss



TREKKING 7 LOW



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



TREKKING 7 LOW



GLOSSY



URBAN GREY



WHITE



AL	100	27.5"	YAMAHA PW-X3	750	MRS	RANGE EXTENDER YAMAHA OPTIONAL	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	PER. TOTAL WEIGHT (KG)	

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT401, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR8 E, 50 lux
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	150kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

TREKKING 7 LOW



S 45548330 urban grey / white - gloss
 M 45548340 urban grey / white - gloss
 L 45548350 urban grey / white - gloss



TREKKING 5 HIGH / C1



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



TREKKING 5 HIGH / C1



GLOSSY



OLIVE



DYNAMITE RED



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	---------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 5 HIGH



S	45520330	olive - gloss
M	45520340	olive - gloss
L	45520350	olive - gloss
XL	45520360	olive - gloss
XXL	45520370	olive - gloss



TREKKING 5 LOW | C1



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREkte SPeZIFIKATION.
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



TREKKING 5 LOW / C1



GLOSSY



OLIVE



DYNAMITE RED



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	---------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 5 LOW



S 45528330 olive - gloss
 M 45528340 olive - gloss
 L 45528350 olive - gloss



TREKKING 5 HIGH / C2





TREKKING 5 HIGH / C2



GLOSSY



DYNAMITE RED



BLACK INK



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	---------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 5 HIGH



S	45524330	dynamite red / black - gloss
M	45524340	dynamite red / black - gloss
L	45524350	dynamite red / black - gloss
XL	45524360	dynamite red / black - gloss
XXL	45524370	dynamite red / black - gloss



TREKKING 5 LOW | C2





TREKKING 5 LOW / C2



GLOSSY



DYNAMITE RED



BLACK INK



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	---------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT400
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M5100, 11-51 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Shimano CN-M6100	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 5 LOW



S	45532330	dynamite red / black - gloss
M	45532340	dynamite red / black - gloss
L	45532350	dynamite red / black - gloss



TREKKING 4 HIGH

 MATTE
 DARK SILVER
NEW!  SILVER PEARL



AL	100	27.5"	YAMAHA PW-S2	750	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT200
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour XCM32 ATB DS LO, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, quick release	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M4120, 10-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	KMC e10S	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT201, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR-GO, 30 lux
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 4 HIGH



S	45508330	dark silver / pearl - matt
M	45508340	dark silver / pearl - matt
L	45508350	dark silver / pearl - matt
XL	45508360	dark silver / pearl - matt
XXL	45508370	dark silver / pearl - matt



TREKKING 4 LOW

MATTE
 DARK SILVER
 SILVER PEARL



AL	100	27.5"	YAMAHA PW-S2	750	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	YAMAHA OPTIONAL

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT200
Akku / Battery	InTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour XCM32 ATB DS LO, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, quick release	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore M4120, 10-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	KMC e10S	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT201, aluminium	Scheinwerfer / Headlight	Herrmans H-Black MR-GO, 30 lux
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING 4 LOW



S	45512330	dark silver / pearl - matt
M	45512340	dark silver / pearl - matt
L	45512350	dark silver / pearl - matt



TREKKING 4 CROSS LOW





TREKKING 4 CROSS LOW

- MATTE
- DARK SILVER
- SILVER PEARL



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER YAMAHA OPTIONAL
----------------------	-----------------------------	---------------------	----------------------------	------------------------------	------------	-----------------------------------

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Akku / Battery	InTube 750Wh	Vorderradnabe / Front wheel hub	Shimano MT200
Ladegerät / Charger	Yamaha quick charger 4A	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Speichen / Spokes	Sapim Leader, black
Gabel / Fork	SR Suntour XCM32 ATB DS LO, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, quick release	Lenker / Handlebar	Ergoriser, oversize 720mm
Schaltwerk / Rear derailleur	Shimano Deore M4120, 10-speed	Griffe / Grips	Ergogriiffe
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth	Steuersatz / Headset	A-Head Tapered
Kette / Chain	KMC e10S	Sattel / Saddle	Selle Royal Essenza
Kettenblatt / Chainring	steel, 38	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Bremshebel / Brake lever	Shimano MT201, aluminium	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm	Ständer / Stand	Ursus Mooi, adjustable
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	130kg
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Fahrradtyp / Bicycle type	City, Trekking, Cross
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex		

TREKKING 4 CROSS LOW



S 45516330 dark silver / pearl - matt
 M 45516340 dark silver / pearl - matt
 L 45516350 dark silver / pearl - matt



TREKKING 3 HIGH



GLOSSY



LIGHT WARM GREY



BLACK INK



WHITE



AL FRAME MATERIAL	65 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. LINE SMART SYSTEM DRIVE UNIT	500 BATTERY CAPACITY (WH)
-------------------------	----------------------------	---------------------	---	---------------------------------

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h
Display	Bosch Intuvia 100 + LED Remote
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM ATB HLO, steel spring, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Alhonga HT474, aluminium
Bremse vorne / Brake front	Alhonga HT474, aluminium, 180mm
Bremse hinten / Brake rear	Alhonga HT474, aluminium, 180mm
Reifen vorne / Tyres front	WTB Groov-E, 62-584, reflex
Reifen hinten / Tyres rear	WTB Groov-E, 62-584, reflex
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium

Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC 720mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Massload Systemgepäckträger, MIK
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Fahrradtyp / Bicycle type	City, Trekking, Cross

TREKKING 3 HIGH



S	45500330	warm grey / black - gloss
M	45500340	warm grey / black - gloss
L	45500350	warm grey / black - gloss
XL	45500360	warm grey / black - gloss



TREKKING 3 MID



GLOSSY



LIGHT WARM GREY



BLACK INK



WHITE



AL FRAME MATERIAL	65 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. LINE SMART SYSTEM DRIVE UNIT	500 BATTERY CAPACITY (WH)
-------------------------	----------------------------	---------------------	---	---------------------------------

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h
Display	Bosch Intuvia 100 + LED Remote
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM ATB HLO, steel spring, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Alhonga HT474, aluminium
Bremse vorne / Brake front	Alhonga HT474, aluminium, 180mm
Bremse hinten / Brake rear	Alhonga HT474, aluminium, 180mm
Reifen vorne / Tyres front	WTB Groov-E, 62-584, reflex
Reifen hinten / Tyres rear	WTB Groov-E, 62-584, reflex
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium

Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC 720mm
Griffe / Grips	Ergogriiffe
Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Massload Systemgepäckträger, MIK
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Fahrradtyp / Bicycle type	City, Trekking, Cross

TREKKING 3 MID



S	45504330	warm grey / black - gloss
M	45504340	warm grey / black - gloss
L	45504350	warm grey / black - gloss



TREKKINGS

IN THE MOOD FOR SPEED? THEN TAKE A LOOK AT
OUR 2023 TREKKING S-PEDELECS TO FIND THE
PERFECT MODEL FOR YOU.





TREKKING S 10 HIGH

- MATTE
- TITAN
- LAVA



AL FRAME MATERIAL	65 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. SPEED GEN4 DRIVE UNIT	625 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER BOSCH OPTIONAL
----------------------	----------------------------	---------------------	--------------------------------------	------------------------------	------------	----------------------------------

Motor	Bosch Performance Speed GEN4, 250W, 85Nm, 45km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox	Vorderradnabe / Front wheel hub	Deli Tire Alunabe
Akku / Battery	Bosch PowerTube 625Wh	Hinterradnabe / Rear wheel hub	Shimano Deore XT T8000
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergobar, oversize 640mm
Gabel / Fork	SR Suntour Mobie 25 LOR, steel spring, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano SLX M7000, rapidfire	Steuersatz / Headset	Neco MIX A-HEAD
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-40 teeth	Sattel / Saddle	Selle Royal EZONE MODERATE
Kette / Chain	KMC E11T	Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm
Kettenblatt / Chainring	aluminium, 44	Pedale / Pedals	Marwi SP-828
Bremshebel / Brake lever	Tektro E715, aluminium	Scheinwerfer / Headlight	Spanninga Axendo 100, 100 lux
Bremse vorne / Brake front	Tektro E715, aluminium, 180mm	Rücklicht / Rear light	Spanninga Flexio speed
Bremse hinten / Brake rear	Tektro E715, aluminium, 160mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Super Moto X, 62-584, reflex	Gepäckträger / Carrier	SKS Systemgepäckträger S-Pedelec Mantis
Reifen hinten / Tyres rear	Schwalbe Super Moto X, 62-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING S 10 HIGH



M 45142153 titan / lava matt
 L 45142157 titan / lava matt
 XL 45142161 titan / lava matt



TREKKING S 10 MID

- MATTE
- TITAN
- LAVA



AL FRAME MATERIAL	65 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. SPEED GEN4 DRIVE UNIT	625 BATTERY CAPACITY (WH)	MRS MRS	RANGE EXTENDER BOSCH OPTIONAL
----------------------	----------------------------	---------------------	--------------------------------------	------------------------------	------------	----------------------------------

Motor	Bosch Performance Speed GEN4, 250W, 85Nm, 45km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox	Vorderradnabe / Front wheel hub	Deli Tire Alunabe
Akku / Battery	Bosch PowerTube 625Wh	Hinterradnabe / Rear wheel hub	Shimano Deore XT T8000
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergobar, oversize 640mm
Gabel / Fork	SR Suntour Mobie 25 LOR, steel spring, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	Ergogriiffe
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano SLX M7000, rapidfire	Steuersatz / Headset	Neco MIX A-HEAD
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-40 teeth	Sattel / Saddle	Selle Royal EZONE MODERATE
Kette / Chain	KMC E11T	Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm
Kettenblatt / Chainring	aluminium, 44	Pedale / Pedals	Marwi SP-828
Bremshebel / Brake lever	Tektro E715, aluminium	Scheinwerfer / Headlight	Spanninga Axendo 100, 100 lux
Bremse vorne / Brake front	Tektro E715, aluminium, 180mm	Rücklicht / Rear light	Spanninga Flexio speed
Bremse hinten / Brake rear	Tektro E715, aluminium, 160mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Super Moto X, 62-584, reflex	Gepäckträger / Carrier	SKS Systemgepäckträger S-Pedelec Mantis
Reifen hinten / Tyres rear	Schwalbe Super Moto X, 62-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable

TREKKING S 10 MID



M 45143148 titan / lava matt
 L 45143153 titan / lava matt
 XL 45143157 titan / lava matt

CATEGORIES OF VEHICLES FAHRZEUGKATEGORIEN



Fahrzeuge der Kategorie 0 sind in der Regel Kinderspielräder 12" und Kinderräder 12" und 16".
Vehicles in category 0 are usually 12" children's play bikes and 12" and 16" children's bikes.



Fahrzeuge der Kategorie 1 sind für rein urbane Infrastruktur (Fahrbahnbeschaffenheit) ausgelegte Fahrzeuge.
Category 1 vehicles are vehicles designed for purely urban infrastructure (road conditions).



Fahrzeuge der Kategorie 2 sind in der Regel Fahrräder, Pedelecs & S-Pedelecs des Typs City-, Trekking-, Cross- Trekking-, Reise- oder Lastenrad, außerdem Jugendräder 24" und Kinderräder 20".
Category 2 cycles are generally bikes, pedelecs and S-Pedelecs in the style of city, trekking, cross-trekking, travel- or cargo bikes, plus 24" junior bikes and 20" children's bikes.



Fahrzeuge der Kategorie 3 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Cross Country, Marathon und Tour, sowie Fahrräder aus den Bereichen Gravel, Cyclo-Cross und All Track.
Vehicles in category 3 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for cross country, marathon and tour riding, as well as all Gravel, Cyclo-Cross and All Track bikes.



Fahrzeuge der Kategorie 4 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Allmountain/ Trail-Bikes.
Category 4 cycles are generally bikes, pedelecs and S-Pedelecs in the style of mountain bikes designed for all-mountain and trail use.



Fahrzeuge der Kategorie 5 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Enduro/Freeride/ Downhill/Dirtjump.
Vehicles in category 5 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for Enduro, Freeride and Downhill riding/Dirtjump.



Fahrzeuge der Kategorie 6 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Rennrad oder Fitness Bike (Urban Bike)/ Zeitfahrräder/Triathlonräder.
Category 6 vehicles are usually bicycles, pedelecs and S-Pedelecs of the racing bike or fitness bike (urban bike)/time trial/triathlon bike type.



Bitte lesen Sie die Betriebsanleitungen.
Please read the operating instructions.








GEOMETRIES / DATA CHARTS



G E O M E T R Y T A B L E S P A G E 1 4 2

RAHMENGEOMETRIEN

A SITZROHRLÄNGE
SEATTUBE LENGTH

B SITZROHRWINKEL
SEATTUBE ANGLE

C SITZROHROFFSET
SEATTUBE OFFSET

D SITZWINKEL
SEAT ANGLE

E STEUERROHRLÄNGE
HEADTUBE LENGTH

F LENKWINKEL
HEADTUBE ANGLE

G OBERROHRLÄNGE HORIZONTAL
TOPTUBE LENGTH HORIZONTAL

H KETTENSTREBENLÄNGE
CHAINSTAY LENGTH

I TRETLAGERABSENKUNG
BB DROP

J RADSTAND
WHEELBASE

K STACK
STACK

L REACH
REACH

NDURO

8 7 6

SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29/27.5	29/27.5	29/27.5	29/27.5
S	M	L	XL
410	440	465	495
75	75	75	75
-23	-23	-23	-23
77	77	77	76.9
120	120	130	140
63.5	63.5	63.5	63.5
574	604	631	663
460	460	460	460
-5	-5	-5	-5
1245	1275	1305	1339
644	644	653	662
425	455	480	510

NDURO 8 FREERIDE / 7 / 6

HYBE

11 7

SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29/27.5	29/27.5	29/27.5	29/27.5
S	M	L	XL
410	440	470	500
75	75	75	75
15	15	15	15
76.3	76.3	76.3	76.3
100	110	120	130
64.5	64.5	64.5	64.5
560	590	625	660
455	455	455	455
-20	-20	-20	-20
1191	1223	1260	1296
626	635	644	653
408	435	468	500

HYBE 11 / 9

ALLMTN

11 6

SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29/27.5	29/27.5	29/27.5	29/27.5
S	M	L	XL
410	440	470	500
75	75	75	75
15	15	15	15
76.3	76.3	76.3	76.3
100	110	120	130
64.5	64.5	64.5	64.5
560	590	625	660
455	455	455	455
-20	-20	-20	-20
1191	1223	1260	1296
626	635	644	653
408	435	468	500

ALLMTN CF 11 / 8

10 7 4 3 2

5

29/27.5	29/27.5	29/27.5	29/27.5
S	M	L	XL
410	440	465	495
75	75	75	75
23	23	23	23
77	77	77	76.9
120	120	130	140
64.5	64.5	64.5	64.5
570	600	627	659
460	460	460	460
-20	-20	-20	-20
1220	1250	1279	1313
646	646	655	664
421	451	475	505

ALLMTN 10 / 7 / 4

29/27.5	29/27.5	29/27.5	29/27.5
S	M	L	XL
410	440	470	500
75	75	75	75
15	15	15	15
76.3	76.3	76.3	76.3
120	120	135	145
64.5	64.5	64.5	64.5
581	605	631	658
455	455	455	455
-20	-20	-20	-20
1218	1242	1269	1297
658	658	662	667
420	444	469	495

ALLMTN 5

ALLTRAIL**9 6 S****10 8**

SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	29"	29"	29"
S	M	L	M	L	XL
410	440	465	440	465	495
75	75	75	75	75	75
23	23	23	23	23	23
77.1	77.1	77.1	77.1	77	77
145	130	130	120	130	140
65	65	65	65	65	65
577	593	615	593	620	648
460	460	460	473	473	473
-20	-20	-20	-30	-30	-30
1223	1237	1259	1254	1283	1313
623	610	610	619	628	637
434	453	475	451	475	501

ALLTRAIL 9 / 6 / 5

27.5"	27.5"	27.5"	29"	29"	29"
S	M	L	M	L	XL
410	440	470	440	470	500
75	75	75	75	75	75
15	15	15	15		
76.3	76.3	76.3	76.3	76.3	76.3
140	145	145	130	135	140
65	65	65	65	65	65
573	589	605	599	625	652
455	455	455	477	477	477
-20	-20	-20	-30	-30	-30
1205	1222	1239	1249	1275	1303
629	633	638	633	638	642
420	435	450	445	470	495

ALLTRAIL 10 / 8

ALLTRAIL**4****3**

SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	29"	29"	29"
S	M	L	M	L	XL
400	440	480	440	480	520
73	73	73	72.5	72.5	72.5
73	73	73	72.5	72.5	72.5
140	125	130	135	140	145
67	67	67	66.5	66.5	66.5
590	600	620	620	640	660
470	470	470	495	495	495
0	0	0	-30	-30	-30
1180	1188	1208	1231	1252	1272
614	600	605	623	628	632
402	417	435	424	442	461

ALLTRAIL 4

29/27.5	29/27.5	29/27.5	29/27.5
S	M	L	XL
410	440	470	500
74.7	74.7	74.7	74.7
-23	-23	-23	-23
76.7	76.7	76.7	76.7
120	130	140	150
65.7	65.7	65.7	65.7
576	591	611	631
460	460	460	460
-17	-17	-17	-17
1216	1221	1243	1264
637	652	661	670
425	436	454	471

ALLTRAIL 3

LYKE**SE 10 11**

SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29"	29"	29"	29"
S	M	L	XL
410	440	470	500
74	74	74	74
36	36	36	36
77.3	77.3	77.3	77.3
110	120	130	140
65	65	65	65
562	592	622	652
450	450	450	450
-25	-25	-25	-25
1195	1227	1259	1290
611	620	629	638
424	452	479	506

LYKE 11 / 10 / CF SE

ALLTRACK

11

SEATTUBE LENGTH [MM]	A	27.5"	29"	29"	29"
SEATTUBE ANGLE [°]	B	S	M	L	XL
SEATTUBE OFFSET [MM]	C	410	440	480	520
SEAT ANGLE [°]	D	73	73	73	73
HEADTUBE LENGTH [MM]	E	73	73	73	73
HEADTUBE ANGLE [°]	F	140	140	150	160
TOPTUBE LENGTH [MM]	G	65.5	66	66	66
CHAINSTAY LENGTH [MM]	H	602	630	645	670
BB DROP [MM]	I	460	470	470	470
WHEELBASE [MM]	J	-45	-60	-60	-60
STACK [MM]	K	1182	1210	1226	1253
REACH [MM]	L	628	663	672	682
		410	427	439	462

ALLTRACK 11

9

SEATTUBE LENGTH [MM]	A	27.5"	29"	29"	29"
SEATTUBE ANGLE [°]	B	S	M	L	XL
SEATTUBE OFFSET [MM]	C	410	440	480	520
SEAT ANGLE [°]	D	73	73	73	73
HEADTUBE LENGTH [MM]	E	73	73	73	73
HEADTUBE ANGLE [°]	F	140	140	150	160
TOPTUBE LENGTH [MM]	G	65.5	66	66	66
CHAINSTAY LENGTH [MM]	H	602	630	645	670
BB DROP [MM]	I	460	470	470	470
WHEELBASE [MM]	J	-45	-60	-60	-60
STACK [MM]	K	1182	1210	1226	1253
REACH [MM]	L	628	663	672	682
		410	427	439	462

ALLTRACK 9

7 6 5

SEATTUBE LENGTH [MM]	A	27.5"	27.5"	29"	29"	29"
SEATTUBE ANGLE [°]	B	S	M	XL	L	M
SEATTUBE OFFSET [MM]	C	400	450	550	500	450
SEAT ANGLE [°]	D	74	74	74	74	74
HEADTUBE LENGTH [MM]	E	140	140	170	155	140
HEADTUBE ANGLE [°]	F	68	68	67	67	67
TOPTUBE LENGTH [MM]	G	610	620	670	648	625
CHAINSTAY LENGTH [MM]	H	465	465	475	475	475
BB DROP [MM]	I	-60	-60	-65	-65	-65
WHEELBASE [MM]	J	1171	1181	1264	1240	1216
STACK [MM]	K	656	656	692	683	674
REACH [MM]	L	422	432	472	452	432

ALLTRACK 7 / 6 / 5 - HIGH

ALLTRACK

4

SEATTUBE LENGTH [MM]	A	27.5"	27.5"	29"	29"	29"
SEATTUBE ANGLE [°]	B	S	M	M	L	XL
SEATTUBE OFFSET [MM]	C	400	450	450	490	530
SEAT ANGLE [°]	D	75	75	75	75	75
HEADTUBE LENGTH [MM]	E	75	75	75	75	75
HEADTUBE ANGLE [°]	F	125	135	120	135	160
TOPTUBE LENGTH [MM]	G	65	65	65	65	65
CHAINSTAY LENGTH [MM]	H	574	610	606	639	671
BB DROP [MM]	I	490	490	495	495	495
WHEELBASE [MM]	J	-54	-54	-69	-64	-64
STACK [MM]	K	1217	1253	1251	1278	1323
REACH [MM]	L	624	633	653	661	684
		405	437	427	457	483

ALLTRACK 4

KIDS

27.5"	S
	370
	75
	75
	125
	65
	574
	490
	-54
	1217
	624
	405

ALLTRACK KIDS

ADVENTR FS

11

10 9

SEATTUBE LENGTH [MM]	A	27.5"	27.5"	27.5"
SEATTUBE ANGLE [°]	B	M	L	XL
SEATTUBE OFFSET [MM]	C	440	470	500
SEAT ANGLE [°]	D	75	75	75
HEADTUBE LENGTH [MM]	E	15	15	15
HEADTUBE ANGLE [°]	F	76.3	76.3	76.3
TOPTUBE LENGTH [MM]	G	150	160	170
CHAINSTAY LENGTH [MM]	H	65	65.5	65.5
BB DROP [MM]	I	596	614	631
WHEELBASE [MM]	J	477	477	477
STACK [MM]	K	-30	-30	-30
REACH [MM]	L	1246	1260	1279
		639	650	660
		440	455	470

ADVENTR FS 11

29"	S
	410
	75
	23
	77
	140
	65
	570
	480
	-35
	1234
	651
	419

ADVENTR FS 10 / 9

TREKKING



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
500	540	580	620
73	73	73	73
73	73	73	73
160	170	180	190
66	66.5	66.5	66.5
610	624	644	669
470	470	470	470
-60	-60	-60	-60
1190	1199	1220	1247
647	659	668	677
412	423	440	462

27.5"	27.5"	27.5"
S	M	L
460	500	540
73	73	73
73	73	73
170	180	190
68	69	70
622	638	655
470	470	470
-60	-60	-60
1179	1184	1187
667	681	695
419	430	442

TREKKING 11 / 8 - HIGH

TREKKING 11 / 8 - LOW

TREKKING



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	27.5"	27.5"
S	M	L	XL	XXL
400	450	500	550	600
74	74	74	74	74
74	74	74	74	74
140	140	155	170	180
68	68	68	68	68
610	620	635	658	680
465	465	465	465	465
-60	-60	-60	-60	-60
1171	1181	1198	1223	1246
656	656	670	684	693
122	122	112	122	121

27.5"	27.5"	27.5"
S	M	L
380	450	500
74	74	74
74	74	74
150	155	175
69	69	69
610	630	660
475	475	475
-65	-65	-65
1167	1177	1209
659	663	682
121	142	161

TEKKING 3.6.6.4 - UTOU

TREKKING 3 / 5 / 4 / 4 CROSS - LOW

TREKKING



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
480	520	560	600
73	73	73	73
73	73	73	73
155	170	180	190
67	67	67	67
587	608	633	658
490	490	490	490
-55	-55	-55	-55
1176	1198	1224	1250
622	636	645	655
397	414	436	458

27.5"	27.5"	27.5"
S	M	L
440	480	520
73	73	73
73	73	73
155	170	190
67	67	67
580	595	613
490	490	490
-55	-55	-55
1169	1184	1205
622	636	655
390	400	413

TREKKING 3 = HIGH

TREKKING 3 = MTD

TREKKING S



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"
M	L	XL
530	570	610
72	72	72
72	72	72
180	180	180
72	72	72
603	603	603
485	485	485
-60	-60	-60
1133	1133	1133
642	642	642
394	394	394

27.5"	27.5"	27.5"
M	L	XL
480	530	570
72	72	72
72	72	72
180	180	180
70	70	70
603	603	603
485	485	485
-60	-60	-60
1133	1133	1133
642	642	642
394	394	394

TREKKING S 10 – HIGH

TREKKING S 10 – MID

NOTES

NOTIZEN

HAIBIKE

IMPRINT

Alle Angaben der WINORA-STAIGER GmbH wie Preise, Größen, Gewichte, Farben einschließlich Lieferzeiten und/oder sonstigen Angaben erfolgen mit größter Sorgfalt. Die WINORA-STAIGER GmbH übernimmt keine Gewähr für mögliche Abweichungen. Offensichtliche Fehler oder Irrtümer im Katalog sind für die WINORA-STAIGER GmbH nicht bindend. Alle Preise sind unverbindliche Preisempfehlungen inklusive der gesetzlichen MwSt.

Aus Gründen der besseren Lesbarkeit wird bei Personenbezeichnungen und personenbezogenen Hauptwörtern in diesem Dealerbook die männliche Form verwendet. Entsprechende Begriffe gelten im Sinne der Gleichbehandlung grundsätzlich für alle Geschlechter. Die verkürzte Sprachform hat nur redaktionelle Gründe und beinhaltet keine Wertung.

FOTOS

Emotion: Piers Spencer-Phillips, Frank Marbet, Stefan Voitl, Stefan Filzmoser
Produkt: Frank Pieth, Volker Martin

DANK AN

alle Mitarbeiter der WINORA-STAIGER GmbH – jeden Einzelnen in unserer einmaligen Firma, der ein Teil dieses langen und manchmal auch harten Entwicklungsprozesses unserer Produkte war, die wir nun mit Stolz präsentieren.

Irrtümer, Änderungen und Druckfehler vorbehalten. Bilder können vom Original abweichen.

WINORA-STAIGER ist ein Mitglied der ACCELL GROUP.

© 2022 WINORA-STAIGER GmbH, Sennfeld, Deutschland

Unter Umständen sind nicht alle in diesem Katalog gezeigten Produkte in allen Regionen erhältlich, bitte kontaktiere dazu dein Vertriebs-Team.

Weiterführende Informationen und Neuigkeiten findest du unter www.haibike.com.

WINORA GROUP

WINORA-STAIGER GmbH
E. Wiener Bike Parts GmbH
Max-Planck-Straße 4-8
97526 Sennfeld
Germany

Tel: +49 9721 6501-0
Email: info@winora-group.de
Web: winora-group.com

All representations made by WINORA-STAIGER GmbH regarding numbers, sizes, weights, colours including delivery times and/or other specifications are made with care. WINORA-STAIGER GmbH does not guarantee that there will not be any deviations. Obvious mistakes or errors in the catalogue are not binding on WINORA-STAIGER GmbH. All prices are recommended retail prices incl. VAT.

For reasons of better readability, the masculine form is used for personal names and personal nouns in this dealerbook. Corresponding terms apply to all genders in the sense of equal treatment. The abbreviated language form has only editorial reasons and does not imply any valuation.

PHOTOS

Emotion: Piers Spencer-Phillips, Frank Marbet, Stefan Voitl, Stefan Filzmoser
Product: Frank Pieth, Volker Martin

THANKS TO

all employees of WINORA-STAIGER GmbH – to each one of you in our unique company who was a part of this long and sometimes difficult development process of our products which we now proudly present.

We are not liable for errors, changes or misprints. Images might not represent the original.

WINORA-STAIGER GmbH is a member of ACCELL GROUP.

© 2022 WINORA-STAIGER GmbH, Sennfeld, Germany

Under certain circumstances, not all of the products shown in this catalogue might be available in all regions. Please contact your sales department for more information.

For more detailed information and other news, please visit our website at www.haibike.com.



▲▲▲

***N**DURO
HYBE
ALLMTN
LYKE
ALLTRAIL
ALLTRACK
ADVENTR
TREKKING*

W	E	A	R	E	e	P	E	R	F	O	R	M	A
N	C	E	W	E	A	R	E	e	P	E	R	F	O
R	M	A	N	C	E	W	E	A	R	E	e	P	E
R	F	O	R	M	A	N	C	E	W	E	A	R	E
e	P	E	R	F	O	R	M	A	N	C	E		

HAIBIKE.COM
Winora-Staiger GmbH / Max-Planck-Str. 6 / 97526 Sennfeld / Deutschland

